## See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

Σ	UNIFORM HAZARDOUS	enerator's US EPA ID No.	Manifest Document	No. 2. 1		ation in the shaded areas required by Federal law.
	3. Generator's Name and Mailing Address Douglas Aircraft Company A 19503 South Normandie Aven	ttn: Rob Tuell C6-	-59	A. State Manifest  B. State Generator	J	2745505
	4. Generator's Phone (310) 533- 7926 o			H A H	0 3 6 0	0 5 6 9 8
	5. Transporter 1 Company Name	6. US EPA ID Number		C. State Transport	er's ID	23552 ····
	Laidlaw Environmental Serv	1	0 8 3 1 2 1	D. Transporter's Pl	one (310)	518- 4700
	7. Transporter 2 Company Name	8. US EPA ID Number		E. State Transport	er's ID	
				F. Transporter's P	hone	
	9. Designated Facility Names and Site Address Norris Environmental Servi 5215 South Boyle Avenue			G. State Facility's H. Facility's Phane	<u> 1977/19</u>	30994
	Los Angeles, CA 90058	C A D 0 9 7	12. Conf	(213) )	Total 14. U	nit
	11. US DOT Description (including Proper Shipping Na		No.		antity Wt/V	ol I. Waste Number
) } !	GRQ, waste oxidizing subs corrosive, n.o.s., 5.1, hydroxide, potassium nit	UN 3098, 14 (potassium		T   3   4	0 8 0 P	State 122 EPA/Other DOO1
1 : :	b.					State EPA/Other
) ) (	c.			1 1 1	1 1	State EPA/Other
	d.					State
				1 1 1		EPA/Other
	additional potssium nitrate 0-10% pota sodium nitrate 0-10% potass 15. Special Handling Instructions and Additional Inform 24 Hour Emergency Telephone DOT ERG# 11a) 45	ene rinse bath EPA codes: D002 ssium hydroxide 0- ium permanganate 0 union number (800) 424-	10% -1%	K. Handling Coder a. 5 c.	s for Wastes Listed  b.  d.	Above  According to the second
		169				
	<ol> <li>GENERATOR'S CERTIFICATION: I hereby declar packed, marked, and labeled, and are in all respe</li> </ol>	e that the contents of the consignmen cts in proper condition for transport l	t are tully and accurately by highway according to o	aescribed above b applicable federal,	y proper shipping state and internat	name and are classified, ional laws.
	If I am a large quantity generator, I certify that economically practicable and that I have selected threat to human health and the environment; OR, waste management method that is available to me	the practicable method of treatment if I am a small quantity generator,	, storage, or disposal cui	rrently available to	me which minimiz	zes the present and future
,	Printed/Typed Name Robert G. Tuell, Jr.	Signature	Let 19. 9	nell,	a, 6	Month Day Year
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	17. Transporter 1 Acknowledgement of Receipt of Mat Printed/Typed Name  18. Transporter 2 Acknowledgement of Receipt of Mat	Signature	u Hule	bard	l	Month Day Year
R T E	Printed/Typed Name	Signature				Month Day Year
ς Ε	19. Discrepancy Indication Space	other toxic O	whitest p	Provinced 1	. 1000 H	WH SOOF
			and the second			
)   	20. Facility Owner or Operator Certification of receipt Printed/Typed Name Felila Batingar	Signature	this manifest except as no On AAF	ted in Item 19.		Month Day Year

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

92745505 JENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPON

19. Discrepancy Indication Space

16

18. Transporter 2 Acknowledgement of Receipt of Materials

CIMES

Printed/Typed Name

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19 Signature Printed/Typed Name

Signature

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (7/92) EPA 8700-22

g

CASE

Z

Yellow: GENERATOR RETAINS

Month

Day

Day

Year

Year

		NOTIFICATION NOTIFICATION							
	Generator Name: Douglas Aircraft Co	EPA ID Number: <u>CAD 08610005</u>							
a a	Manifest Number: 92745505	Date of Shipment: 477/934 • 01-10-94							
0	Indicate Waste Line Item (II): (A)								
No.	to meet specified standards or treated using specified trea	RONMENTAL SERVICES in compliance with EPA regulation sposal of certain hazardous wastes, unless these wastes are treate tment technologies.							
	have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and/o.								
	California List Wastes Notification Pool, Doo2	No F039 were RCRA Land Disposal Notification							
	Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.	Waste Requires Treatment							
	Treatment Standard-Cyanide Destruction Stabilization	I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D. or where no treatment standard exists for the Subpart D.							
	(or elements) at concentrations greater than or equal to those specified below:	treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.							
	Treatment Standard-Neutralization. Precipitation: Metals Recovery								
	(check those that apply)	Waste Treated to Performance Standards							
: .	Arsenic and/or compounds (as As)  Barium and/or compounds (as Ba)  Cadmium and/or compounds (as Cd)  Chromium (VI and/or compounds as Cr VI)  Lead and/or compounds (as Pb)  Mercury and/or compounds (as Hg)  Selenium and/or compounds (as Se)  Silver and/or compounds (as Ag)  Silver and/or compounds (as Ag)	The waste identified above has been treated in compliance with the applicable performance standars specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and these							
E	Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)  Treatment Standard-Carbon Absorption Steam Stripping	those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.							
٥	Liquid hazardous wastes containing polychlorinated hiphenyls (PCBs) at concentrations greater than or equal to 50 ppm.	Waste Subject to Variance							
	Treatment Standard-Incineration, high efficiency boiler, other thermal treatment								
Þ	Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.	The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from							
	Treatment Standard-Neutralization Stabilization	soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.							
	The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.								
	Trentment Standard-Specify technology used to meet Table CCWE Check constituent(s) on Table CCWE which were reduced below treatment standards								

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

01-10-94 Date

VENDOR: Law STATE MAYERST, WEIGHT TICKET WITH THE 35760P  CONTENTS: Potestian Hydroxide Entra
---



aidlaw Environmental Services of California, Inc.

SERVIC	E ORDE	<sub>R</sub> 9	2	74	817	
JOB NO	7°%	1	20			
DATE		7/-	7/0	2		

## TRANSPORTATION SERVICE ORDER

Transp	ortation ID #: CAD0	00083	3121								
└º N	501 Pacheco Blvd. lartinez, CA 94553 510) 372-4800				_" Ba (80	37 Patton W kersfield, C 05) 835-580 05) 589-497	4 93308 1 or		X	221 E. "[ Wilmingt (310) 51	on, CA 90744
Custon	ner Name: $\overline{DoC}$	101	24.	AIR	:RA	FT Te	lephone:				
	Address:						ontact Person:				
City:	CORPANS		St	ate <u>CA</u>	r		DE #:				
Job Lo	cation: <u>TORRA</u>	NC 8	<u> </u>	190	4	De	estination: <i>[</i>	VOR	21		
Туре о	f Material: Potess	ممنك	Mid	wide		Sa	iles Person: _				
Genera	ator:					EF	PA Number:				
	ator ID Number (State			Constant Constant	Resource (market)		icility EPA NO.		0.0000000000000000000000000000000000000	VAIDAGE VALCER COST (AVA	
	al: LES Facility	at beautiful and the second					ustomer P.O	2	7065	/=H1	012
	st# <u>9274\$50</u>						# <u> </u>				
Service	es Performed					T TOTAL	<u> </u>	<u> 77 DRC</u>	<i>)</i>	7	TK TU
1	HAUL	10		<u>v o a ku s</u>	<u> </u>						
					100 m						-
Start M	liles: 27375	3		End Mil	es:			Total Mil	ec.		
	No.: 16003	2		_ Trailer N		800 f	ST	_Net Wgt			
		(	<i>J</i> 150	_ 	-			_ Capacity			
Driver	Time: Start (AM/PM)	Œ	ARO:	100000	Stop	(AM/PM)			ss Time		
Meals:	Start Time (AM/PM)		Ø		Stop	(AM/PM)	Ø	Les	s Time _	ø	-
Other <sup>-</sup>	Time $\overline{Z}$ $N$	406	1992	777		I		Adj.	Time_		
Driver's	s Name	_ (	<u> 2600</u>	<u> </u>	Drive	r No. <u>9</u>	9301	Tota	al Time_		
Custor	ner Site: Time In				Dispo		ne In				
	Time Out _	_12	415			Tir	me Out	Tim	e Out _		
Explan	ation of Time:					100					
-											
CUSTO	OMER AUTHORIZAT	ION A	ND APE	PROVAL SI	GNAT	URF: P	det li	<u> 4 ,,,,,</u>	$M \sim$	· 0/	-10-94
							<del></del> .		717		
**************************************		T		F	OR AC	COUNTING	ONLY	and the second		<del>quality and the same and the s</del>	
PROD CODE	DESCRIPTION	QTY	UOM	RATE	EXT	PROD	DESCRIPTIO	N QTY	UOM	RATE	EXT *
14000	TRANS	80	ST			24015	HAZ SOLIDS				100.00
14000 14000	TRANS TRANS		OT DT			24015 24010	VIA INGGENERATO VIA PRINCIPE PROGRAMMA PARTICIPA DE LA CONTRACTORIO DE LA CONTRACTORIO DE LA CONTRACTORIO DE L	VALDET BIS AND POSSES. AND AND PURPOSED PROCESSOR			
14000	2ND DRIVER		וע			24010	N/HAZ LIQUIE	The state of the s	10.00		
54045	SUBHAULER LABOR					24020 24025	SALVA SELECTION OF CONTRACT OF	4G			
Platicus electron accessor	BIN RENTAL					24025					
14000				200		24025					
<u>14000</u> ~~4 <u>000</u>	WASHOUT SCALE/CERTS						TAXES TAXES				
,000	SUBSISTENCE					34035	ANALYTICAL	FO.			
	TOLLS TYVEK					74055 74055					
90465 90465											
Constitution uning and provide	GLOVES										
ALCHIOLOGICAD IN THE RESIDENCE I	BIN LINERS OTHERS				100						
70400	UTILIAO										
SECURE AND INCOMPRESE			NAMES OF THE OWNERS OF THE OWNER,				999				